GENERAL CATALOGUE No. 50

ROCK ISLAND SASH AND DOOR WORKS
ROCK ISLAND, ILL.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, MO.

Digitized by:

ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

**NATIONAL
BUILDING
ARTS
CENTER**

http://web.nationalbuildingarts.org

THE SOURCE OF SUPPLY



Rock Island Sash and Door Works
Rock Island, Illinois

Noted for the Quality and Quantity of Its Product

SOUTHERN DISTRIBUTING BRANCH



St Louis Sash and Door Works
St. Louis, Missouri

To reach our plant from hotel, retail or wholesale district, take any north bound Broadway car direct to our door, 3500 North—fifteen minutes' ride

FOUR PANEL DESIGN

Specifications:

Standard four panel door.
Stiles and top rail, 4¾".
Lock rail, 8⅝".
Bottom rail, 9¾".
Mullions, 4⅝".
Panels are heavy raised.
Top of lock rail is 36" from bottom of door.
O. G. solid sticking is standard.



FIVE CROSS PANEL DESIGN

Specifications:

Standard five cross panel door.
Stiles and top rail, 4¾".
Cross rails, 4⅝".
Bottom rail, 9¾".
Panels are heavy raised.
O. G. and B and C solid sticking are standard.

For discounts and stock sizes refer to our Price Supplement and Current Price Card.



IXL 501

Specifications:

Standard two panel door.
Stiles and top rail, 4¾″.
Lock rail, 8⅝″.
Bottom rail, 9¾″.
Panels are flat, 3 ply laminated.
Stiles and rails are solid.
Top of lock rail is 36″ from bottom of door.
C and B solid sticking is standard.
Sash Door to match is shown on Page 26.



IXL 502

Specifications:

Standard one panel door.
Stiles and top rail, 5½″.
Bottom rail, 12″.
Panel is flat, 3 ply laminated.
Stiles and rails are solid.
C and B solid sticking is standard.

For Prices refer to our Price Supplement and Current Price Card.



IXL 503

Specifications:

Stiles and top rail, 4¾″.
Lock rail, 8⅝″.
Bottom rail, 9¾″.
Panels are flat, 3 ply laminated.
Stiles and rails are solid.
C and B solid sticking is standard.
Top of lock rail is 57½″ from bottom of door on a 6′ 8″ high door.



IXL 504

Specifications:

Stiles and rail, 4¾″.
Lock rail and mullion, 4⅝″.
Bottom rail, 9¾″.
Panels are 3 ply laminated.
Stiles and rails are solid.
C and B solid sticking is standard.
Top of lock rail is 58″ from bottom of door on a 6′ 8″ door.

For Prices refer to our Price Supplement and Current Price Card.



IXL 505

Specifications:

Stiles and top rail, 4¾".
Bottom rail, 9¾".
Mullion, 4⅝".
Panels are flat, solid or 3 ply laminated.
C and B solid sticking is standard.



IXL 506

Specifications:

Stiles and top rail, 4¾".
Lock rail, 8⅝".
Bottom rail, 9¾".
Mullions, 4⅝".
Panels are flat, solid or 3 ply laminated.
Top of lock rail is 36" from bottom of door.
C and B solid sticking is standard.

For Prices refer to our Price Supplement and Current Price Card.



IXL 507

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2- 8x6- 8 1⅜ and 1¾ glass size 20x56.
2- 8x7- 0 1⅜ and 1¾ glass size 20x60.
2-10x6-10 1⅜ and 1¾ glass size 22x58.
3- 0x7- 0 1⅜ and 1¾ glass size 24x60.
Other sizes made to order promptly.
For side lights to match, see pages 30 and 31.



IXL 508

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½".
Egg and Dart mould outside, B and C inside.

Sizes in Stock for Immediate Shipment:

2- 8x6- 8 1⅜ and 1¾ glass size 20x56.
2- 8x7- 0 1⅜ and 1¾ glass size 20x60.
2-10x6-10 1⅜ and 1¾ glass size 22x58.
3- 0x7- 0 1⅜ and 1¾ glass size 24x60.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 509

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½"; heavy bars, 2¾".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 20x56. Divided.
2-8x7-0 1⅜ and 1¾ glass size 20x60. Divided.
2-10x6-10 1⅜ and 1¾ glass size 22x58. Divided.
3-0x7-0 1⅜ and 1¾ glass size 24x60. Divided.
Other sizes made to order promptly.



IXL 510

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 20x56. Divided.
2-8x7-0 1⅜ and 1¾ glass size 20x60. Divided.
2-10x6-10 1⅜ and 1¾ glass size 22x58. Divided.
3-0x7-0 1⅜ and 1¾ glass size 24x60. Divided.
Other sizes made to order promptly.
For side lights to match, see pages 30 and 31.

For Prices refer to our Price Supplement and Current Price Card.



IXL 511

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 20x56. Divided.
2-8x7-0 1⅜ and 1¾ glass size 20x60. Divided.
2-10x6-10 1⅜ and 1¾ glass size 22x58. Divided.
3-0x7-0 1⅜ and 1¾ glass size 24x60. Divided.
Other sizes made to order promptly.



IXL 512

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 20x56. Divided.
2-8x7-0 1⅜ and 1¾ glass size 20x60. Divided.
2-10x6-10 1⅜ and 1¾ glass size 22x58. Divided.
3-0x7-0 1⅜ and 1¾ glass size 24x60. Divided.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 513

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 20x56. Divided.
2-8x7-0 1⅜ and 1¾ glass size 20x60. Divided.
2-10x6-10 1⅜ and 1¾ glass size 22x58. Divided.
3-0x7-0 1⅜ and 1¾ glass size 24x60. Divided.
Other sizes made to order promptly.



IXL 514

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 20x56. Divided.
2-8x7-0 1⅜ and 1¾ glass size 20x60. Divided.
2-10x6-10 1⅜ and 1¾ glass size 22x58. Divided.
3-0x7-0 1⅜ and 1¾ glass size 24x60. Divided.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 515

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 20x56. Divided.
2-8x7-0 1⅜ and 1¾ glass size 20x60. Divided.
2-10x6-10 1⅜ and 1¾ glass size 22x58. Divided.
3-0x7-0 1⅜ and 1¾ glass size 24x60. Divided.
Other sizes made to order promptly.
For side lights to match, see pages 30 and 31.



IXL 516

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 20x56. Divided.
2-8x7-0 1⅜ and 1¾ glass size 20x60. Divided.
2-10x6-10 1⅜ and 1¾ glass size 22x58. Divided.
3-0x7-0 1⅜ and 1¾ glass size 24x60. Divided.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 517

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 4¾".
Bottom rail, 9¾"; bars, 1½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2- 0x6- 8 1⅜ only.
2- 0x7- 0 1⅜ only.
2- 6x6- 8 1⅜ and 1¾.
2- 6x7- 0 1⅜ and 1¾.
2- 8x6- 8 1⅜ and 1¾.
2- 8x7- 0 1⅜ and 1¾.
2-10x6-10 1⅜ and 1¾.
3- 0x7- 0 1⅜ and 1¾.
Other sizes made to order promptly.
For side lights to match, see pages 30 and 31.



IXL 518

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 4¾".
Bottom rail, 9¾"; bars, 1½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2- 0x6- 8 1⅜ only.
2- 0x7- 0 1⅜ only.
2- 6x6- 8 1⅜ and 1¾.
2- 6x7- 0 1⅜ and 1¾.
2- 8x6- 8 1⅜ and 1¾.
2- 8x7- 0 1⅜ and 1¾.
2-10x6-10 1⅜ and 1¾.
3- 0x7- 0 1⅜ and 1¾.
Other sizes made to order promptly.
2-0 wide doors are made 2 lt. wide.
See page 33 for design of pairs.

For Prices refer to our Price Supplement and Current Price Card.



IXL 519

Specifications:

White Pine, No. 1 quality.
Stiles, 5½"; top rail, 7".
Lock rail, 7"; bottom rail, 9¾".
Top of lock rail is 28" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2- 8x6- 8 1⅜ and 1¾ glass size 22x46.
2- 8x7- 0 1⅜ and 1¾ glass size 22x50.
2-10x6-10 1⅜ and 1¾ glass size 24x48.
3- 0x7- 0 1⅜ and 1¾ glass size 26x50.
Other sizes made to order promptly.
For side lights to match, see page 30.



IXL 520

Specifications:

White Pine, No. 1 quality.
Stiles, 5½"; top rail, 7".
Lock rail, 7"; bottom rail, 9¾".
Top of lock rail is 28" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2- 8x6- 8 1⅜ and 1¾ glass size 22x46.
2- 8x7- 0 1⅜ and 1¾ glass size 22x50.
2-10x6-10 1⅜ and 1¾ glass size 24x48.
3- 0x7- 0 1⅜ and 1¾ glass size 26x50.
Other sizes made to order promptly.
For side lights to match, see page 30.

For Prices refer to our Price Supplement and Current Price Card.



IXL 521

Specifications:

White Pine, No. 1 quality.
Stiles, 5½"; top rail, 7".
Lock rail, 7"; bottom rail, 9¾".
Top of lock rail is 28" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 22x46. Divided.
2-8x7-0 1⅜ and 1¾ glass size 22x50. Divided.
2-10x6-10 1⅜ and 1¾ glass size 24x48. Divided.
3-0x7-0 1⅜ and 1¾ glass size 26x50. Divided.
Other sizes made to order promptly.
For side lights to match, see page 30.



IXL 522

Specifications:

White Pine, No. 1 quality.
Stiles, 5½"; top rail, 7".
Lock rail, 7"; bottom rail, 9¾".
Top of lock rail is 28" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 22x46. Divided.
2-8x7-0 1⅜ and 1¾ glass size 22x50. Divided.
2-10x6-10 1⅜ and 1¾ glass size 24x48. Divided.
3-0x7-0 1⅜ and 1¾ glass size 26x50. Divided.
Other sizes made to order promptly.
For side lights to match, see page 30.

For Prices refer to our Price Supplement and Current Price Card.



IXL 523

Specifications:

White Pine, No. 1 quality.
Stiles, 5½"; top rail, 7".
Lock rail, 7"; bottom rail, 9¾".
Top of lock rail is 28" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 22x46. Divided.
2-8x7-0 1⅜ and 1¾ glass size 22x50. Divided.
2-10x6-10 1⅜ and 1¾ glass size 24x48. Divided.
3-0x7-0 1⅜ and 1¾ glass size 26x50. Divided.
Other sizes made to order promptly.
For side lights to match, see page 30.



IXL 524

Specifications:

White Pine, No. 1 quality.
Stiles, 5½"; top rail, 7".
Lock rail, 7"; bottom rail, 9¾".
Top of lock rail is 28" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 22x46. Divided.
2-8x7-0 1⅜ and 1¾ glass size 22x50. Divided.
2-10x6-10 1⅜ and 1¾ glass size 24x48. Divided.
3-0x7-0 1⅜ and 1¾ glass size 26x50. Divided.
Other sizes made to order promptly.
For side lights to match, see page 30.

For Prices refer to our Price Supplement and Current Price Card.



IXL 525

Specifications:

White Pine, No. 1 quality.
Stiles, 4¾"; top rail, 7"; lock rail, 7".
Bottom rail, 9¾"; cross rail, 4⅝".
Top of lock rail is 44" from bottom of door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x28.
2-8x6-8 1⅜ and 1¾ glass size 23½x30.
2-10x6-10 1⅜ and 1¾ glass size 25½x 32.
3-0x7-0 1⅜ and 1¾ glass size 27½x34.
Can be furnished without cap or apron.



IXL 526

Specifications:

White Pine, No. 1 quality.
Stiles, 4¾"; top rail, 7"; lock rail, 7".
Bottom rail, 9¾"; cross rail, 4⅝".
Top of lock rail is 38" from bottom of door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x34.
2-8x6-8 1⅜ and 1¾ glass size 23½x36.
2-10x6-10 1⅜ and 1¾ glass size 25½x 38.
3-0x7-0 1⅜ and 1¾ glass size 27½x40.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 527

Specifications:

White Pine, No. 1 quality.
Stiles, 4¾"; top rail, 7"; lock rail, 7".
Bottom rail, 9¾"; cross rail, 4⅝".
Top of lock rail is 38" from bottom of door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 18x30.
2-8x6-8 1⅜ and 1¾ glass size 20x32.
2-10x6-10 1⅜ and 1¾ glass size 22x34.
3-0x7-0 1⅜ and 1¾ glass size 24x36.
Other sizes made to order promptly.



IXL 528

Specifications:

White Pine, No. 1 quality.
Stiles, 4¾"; top rail, 7"; lock rail, 7".
Bottom rail, 9¾"; cross rail, 4⅝".
Top of lock rail is 38" from bottom of door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 18x30.
2-8x6-8 1⅜ and 1¾ glass size 20x32.
2-10x6-10 1⅜ and 1¾ glass size 22x34.
3-0x7-0 1⅜ and 1¾ glass size 24x36.
Can be furnished without cap or apron.

For Prices refer to our Price Supplement and Current Price Card.



IXL 529

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2- 8x6- 8 1⅜ and 1¾ glass size 16x52.
2- 8x7- 0 1⅜ and 1¾ glass size 16x56.
2-10x6-10 1⅜ and 1¾ glass size 18x54.
3- 0x7- 0 1⅜ and 1¾ glass size 20x56.
We can trim this design with cap and apron if desired.



IXL 530

Specifications:

White Pine, No. 1 quality.
Stiles, 5½"; top rail, 7".
Lock rail, 7"; bottom rail, 9¾".
Top of lock rail is 28" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2- 8x6- 8 1⅜ and 1¾ glass size 18x42.
2- 8x7- 0 1⅜ and 1¾ glass size 18x46.
2-10x6-10 1⅜ and 1¾ glass size 20x44.
3- 0x7- 0 1⅜ and 1¾ glass size 22x46.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 531

Specifications:

White Pine, Spruce and Fir in No. 1 and 2 quality.
Stiles, 4¾"; top rail, 7"; lock rail, 4⅝".
Bottom rail, 9¾"; cross rails, 4⅝".
Top of lock rail is 43" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x28.
2-8x6-8 1⅜ and 1¾ glass size 23½x30.
2-10x6-10 1⅜ and 1¾ glass size 25½x 32.
3-0x7-0 1⅜ and 1¾ glass size 27½x34.
Other sizes made to order promptly.



IXL 532

Specifications:

White Pine, Spruce and Fir in No. 1 and 2 quality.
Stiles, 4¾"; top rail, 7"; lock rail, 4⅝".
Bottom rail, 9¾"; cross rails, 4⅝".
Top of lock rail is 43" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x28. Divided.
2-8x6-8 1⅜ and 1¾ glass size 23½x30. Divided.
2-10x6-10 1⅜ and 1¾ glass size 25½x 32. Divided.
3-0x7-0 1⅜ and 1¾ glass size 27½x34. Divided.

For Prices refer to our Price Supplement and Current Price Card.



IXL 533

Specifications:

White Pine, No. 1 quality and Spruce, No. 1 quality.
Stiles and top rail, 4¾".
Lock rail, 7"; cross rails, 4⅝".
Bottom rail, 9¾".
Top of lock rail is 43" from bottom or door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x22.
2-8x6-8 1⅜ and 1¾ glass size 23½x24.
2-10x6-10 1⅜ and 1¾ glass size 25½x 26.
3-0x7-0 1⅜ and 1¾ glass size 27½x28.
Other sizes made to order promptly.



IXL 534

Specifications:

White Pine, No. 1 quality and Spruce, No. 1 quality.
Stiles and top rail, 4¾".
Lock rail, 7"; cross rails, 4⅝".
Bottom rail, 9¾".
Top of lock rail is 43" from bottom or door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x22.
2-8x6-8 1⅜ and 1¾ glass size 23½x24.
2-10x6-10 1⅜ and 1¾ glass size 25½x 26.
3-0x7-0 1⅜ and 1¾ glass size 27½x28.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 536

Specifications:

White Pine, No. 1 quality.
Stiles, 4¾"; top rail, 7"; lock rail, 7".
Bottom rail, 9¾"; cross rail, 4⅝".
Top of lock rail is 38" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x34. Divided.
2-8x6-8 1⅜ and 1¾ glass size 23½x36. Divided.
2-10x6-10 1⅜ and 1¾ glass size 25½x 38. Divided.
3-0x7-0 1⅜ and 1¾ glass size 27½x40. Divided.
Can be supplied by us divided 4 lights, if wanted.



IXL 537

Specifications:

White Pine, No. 1 quality.
Stiles, 4¾"; top rail, 7"; lock rail, 7".
Bottom rail, 9¾"; cross rail, 4⅝".
Top of lock rail is 38" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x34.
2-8x6-8 1⅜ and 1¾ glass size 23½x36.
2-10x6-10 1⅜ and 1¾ glass size 25½x 38.
3-0x7-0 1⅜ and 1¾ glass size 27½x40.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 538

Specifications:

White Pine, No. 1 quality.
Stiles, 4¾"; top rail, 7"; lock rail, 7".
Bottom rail, 9¾"; cross rails, 4⅝".
Top of lock rail is 42" from bottom of door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x30.
2-8x6-8 1⅜ and 1¾ glass size 23½x32.
2-10x6-10 1⅜ and 1¾ glass size 25½x34.
3-0x7-0 1⅜ and 1¾ glass size 27½x36.
Other sizes made to order promptly.



IXL 539

Specifications:

White Pine, No. 1 quality.
Stiles, 4¾"; top rail, 7"; lock rail, 7".
Bottom rail, 9¾"; cross rails, 4⅝".
Top of lock rail is 42" from bottom of door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x30.
2-8x6-8 1⅜ and 1¾ glass size 23½x32.
2-10x6-10 1⅜ and 1¾ glass size 25½x34.
3-0x7-0 1⅜ and 1¾ glass size 27½x36.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 540

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 4¾".
Lock rail, 7"; cross rail, 4⅝".
Bottom rail, 9¾".
Top of lock rail is 43" from bottom of door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x22.
2-8x6-8 1⅜ and 1¾ glass size 23½x24.
2-10x6-10 1⅜ and 1¾ glass size 25½ x26.
3-0x7-0 1⅜ and 1¾ glass size 27½x28.
Other sizes made to order promptly.



IXL 541

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 4¾".
Lock and cross rails, 4⅝".
Bottom rail, 9¾".
Top of lock rail is 44" from bottom of door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x30. Divided.
2-8x6-8 1⅜ and 1¾ glass size 23½x32. Divided.
2-10x6-10 1⅜ and 1¾ glass size 25½x 34. Divided.
3-0x7-0 1⅜ and 1¾ glass size 27½x36. Divided.
One light door to match shown on opposite page.

For Prices refer to our Price Supplement and Current Price Card.



IXL 542

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 4¾".
Lock and cross rails, 4⅝".
Bottom rail, 9¾".
Top of lock rail is 44" from bottom of door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x30.
2-8x6-8 1⅜ and 1¾ glass size 23½x32.
2-10x6-10 1⅜ and 1¾ glass size 25½x 34.
3-0x7-0 1⅜ and 1¾ glass size 27½x36.
Other sizes made to order promptly.



IXL 543

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 4¾".
Lock and cross rails, 4⅝".
Bottom rail, 9¾".
Top of lock rail is 44" from bottom of door.
B and C solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-6x6-6 1⅜ and 1¾ glass size 21½x30.
2-8x6-8 1⅜ and 1¾ glass size 23½x32.
2-10x6-10 1⅜ and 1¾ glass size 25½x 34.
3-0x7-0 1⅜ and 1¾ glass size 27½x36.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 544

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 4¾".
Lock rail, 4⅝"; mullion, 4⅝".
Bottom rail, 9¾".
B and C solid sticking.
Top of lock rail is 58" above bottom of a 6-8 door.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 23½x18.
2-8x7-0 1⅜ and 1¾ glass size 23½x18.
2-10x6-10 1⅜ and 1¾ glass size 25½x 18.
3-0x7-0 1⅜ and 1¾ glass size 27½x18.
Other sizes made to order promptly.



IXL 545

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 4¾".
Lock rail, 4⅝"; mullion, 4⅝".
Bottom rail, 9¾".
B and C solid sticking.
Top of lock rail is 58" above bottom of a 6-8 door.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 23½x18. Divided.
2-8x7-0 1⅜ and 1¾ glass size 23½x18. Divided.
2-10x6-10 1⅜ and 1¾ glass size 25½x 18. Divided.
3-0x7-0 1⅜ and 1¾ glass size 27½x18. Divided.
Square sticking can be had at a small extra charge.

For Prices refer to our Price Supplement and Current Price Card.



IXL 546

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 4¾".
Lock rail, 4⅝".
Mullion, 4⅝".
Bottom rail, 9¾".
B and C solid sticking.
Top of lock rail is 58" above bottom of a 6' 8" high door.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 23½x18. Divided.
2-8x7-0 1⅜ and 1¾ glass size 23½x18. Divided.
2-10x6-10 1⅜ and 1¾ glass size 25½x 18. Divided.
3-0x7-0 1⅜ and 1¾ glass size 27½x18. Divided.
Other sizes made to order promptly.



IXL 547

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 4¾".
Lock rail, 4⅝".
Mullion, 4⅝".
Bottom rail, 9¾".
B and C solid sticking.
Top of lock rail is 58" above bottom of a 6' 8" high door.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 23½x18. Divided.
2-8x7-0 1⅜ and 1¾ glass size 23½x18. Divided.
2-10x6-10 1⅜ and 1¾ glass size 25½x 18. Divided.
3-0x7-0 1⅜ and 1¾ glass size 27½x18. Divided.
Other sizes made to order promptly.
A very desirable bungalow door.

For Prices refer to our Price Supplement and Current Price Card.



IXL 548

Specifications:

Stiles and top rail, 4¾".
Lock rail, 8⅝".
Bottom rail, 9¾".
Top of lock rail is 36" from bottom of door.
C and B solid sticking is standard.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 23½x40.
2-8x7-0 1⅜ and 1¾ glass size 23½x44.
2-10x6-10 1⅜ and 1¾ glass size 25½x 42.
3-0x7-0 1⅜ and 1¾ glass size 27½x44.
Matches IXL 501 Two Panel Door.



IXL 549

Specifications:

Stiles and top rail, 5½".
Lock rail, 7".
Bottom rail, 9¾".
Top of lock rail is 53½" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2- 8x6- 8 1⅜ and 1¾ glass size 22x22.
2- 8x7- 0 1⅜ and 1¾ glass size 22x26.
2-10x6-10 1⅜ and 1¾ glass size 24x24.
3- 0x7- 0 1⅜ and 1¾ glass size 26x26.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 550

Specifications:

Stiles and top rail, 5½".
Lock rail, 7"; bottom rail, 9¾".
Top of lock rail is 53½" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 22x22. Divided.
2-8x7-0 1⅜ and 1¾ glass size 22x26. Divided.
2-10x6-10 1⅜ and 1¾ glass size 24x24. Divided.
3-0x7-0 1⅜ and 1¾ glass size 26x26. Divided.
Other sizes made to order promptly.

IXL 551

Specifications:

Stiles and top rail, 5½".
Lock rail, 7"; bottom rail, 9¾".
Top of lock rail is 53½" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

2-8x6-8 1⅜ and 1¾ glass size 22x22. Divided.
2-8x7-0 1⅜ and 1¾ glass size 22x26. Divided.
2-10x6-10 1⅜ and 1¾ glass size 24x24. Divided.
3-0x7-0 1⅜ and 1¾ glass size 26x26. Divided.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 552

Specifications:

White Pine, No. 1 quality.
Stiles, 5½"; top rail, 7".
Lock rail, 7"; bottom rail, 9¾".
Top of lock rail is 28" from bottom of door.
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

For Opening 5-4x6-8 1⅜ and 1¾.
For Opening 5-4x7-0 1⅜ and 1¾.
For Opening 5-8x6-10 1⅜ and 1¾.
For Opening 6-0x7-0 1⅜ and 1¾.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 553

Specifications:

White Pine, No. 1 quality.
Stiles and top rail, 6½".
Bottom rail, 18½".
B and C solid sticking.

Sizes in Stock for Immediate Shipment:

For Opening 5-4x6-8 1⅜ and 1¾.
For Opening 5-4x7-0 1⅜ and 1¾.
For Opening 5-8x6-10 1⅜ and 1¾.
For Opening 6-0x7-0 1⅜ and 1¾.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 554



IXL 555



IXL 556



IXL 557

Specifications:

White Pine in No. 1 quality.
Stiles, 2½"; rails match up with doors.
B and C solid sticking.
These Side Lights are used in connection with IXL 507 to 516 front doors shown on preceding pages.

Sizes in Stock for Immediate Shipment:

1-4x6- 8 1⅜ and 1¾.
1-4x6-10 1⅜ and 1¾.
1-4x7- 0 1⅜ and 1¾.
Other sizes made to order promptly.

Specifications:

White Pine in No. 1 quality.
Stiles, 2½"; rails match up with doors.
B and C solid sticking.
These Side Lights are used in connection with IXL 519 to 524 front doors shown on preceding pages.

Sizes in Stock for Immediate Shipment:

1-4x6- 8 1⅜ and 1¾.
1-4x6-10 1⅜ and 1¾.
1-4x7- 0 1⅜ and 1¾.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 558



IXL 559



IXL 560



IXL 561

Specifications:

White Pine in No. 1 quality.
Stiles, 2½"; rails match up with doors.
B and C solid sticking.
IXL 558 Side Light matches IXL 510 front door.
IXL 559 Side Light matches IXL 516 front door.

Sizes in Stock for Immediate Shipment:

1-4x6- 8 1⅜ and 1¾.
1-4x6-10 1⅜ and 1¾.
1-4x7- 0 1⅜ and 1¾.
Other sizes made to order promptly.
Can be divided to match any particular door design.

Specifications:

White Pine in No. 1 quality.
Stiles, 2½"; rails match up with doors.
B and C solid sticking.
IXL 560 Side Light matches IXL 518 front door.
IXL 561 Side Light matches IXL 517 front door.

Sizes in Stock for Immediate Shipment:

1-4x6- 8 1⅜ and 1¾.
1-4x6-10 1⅜ and 1¾.
1-4x7- 0 1⅜ and 1¾.
Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 562

Stock Panel Design on Reverse Side.

Made in any wood to match balance of Doors used on job.

Sizes in Stock for Immediate Shipment:

Bevel Plate Mirror with 5X panel No. 1 W. P. on reverse side.

2-6x6-6 1⅜ and 1¾.
2-6x6-8 1⅜ and 1¾.
2-6x7-0 1⅜ and 1¾.
2-8x6-8 1⅜ and 1¾.
2-8x7-0 1⅜ and 1¾.

Other sizes and designs made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 563

For specifications and sizes see page 11, design IXL 518.

IXL 564

For specifications and sizes see page 9, design IXL 513.

These Doors are used for various purposes, such as opening on to the Sun Porch or Room, from Living Room to Hall or Dining Room.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 600

Specifications:

Stiles and top rail, 4⅞"; cross rails, 4⅞".
Bottom rail, 9¾".
Panels, flat 3 ply veneered.
Cove and Bead solid sticking.

In Stock in Standard Sizes in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Made to order in any other woods.



CROWN 601

Specifications:

Stiles and top rail, 4⅞"; lock rail, 8⅝".
Bottom rail, 9¾".
Panels, flat 3 ply veneered.
Top of lock rail is 36" from bottom of door.
Cove and Bead solid sticking.

In Stock in Standard Sizes in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Made to order in any other woods.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 602

Specifications:

Stiles and top rail, 5½".
Bottom rail, 12".
Panel, flat 3 ply veneered.
Cove and Bead solid sticking.

Manufactured Quickly to Your Order in

Veneered Unselected Birch.
Veneered Plain Red Oak.
This design can also be furnished with Stiles 6" and Bottom Rail 16", if so ordered.
Made to order promptly in any wood.



CROWN 603

Specifications:

Stiles and top rail, 4⅞".
Lock rail, 8⅝"; bottom rail, 9¾".
Panels, flat 3 ply veneered.
Cove and Bead solid sticking.

Manufactured Quickly to Your Order in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Made to order promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 604

Specifications:

Stiles and top rail, 4⅞".
Lock rail and mullion, 4⅞".
Bottom rail, 9¾".
Panels, flat 3 ply veneered.
Cove and Bead solid sticking.

Manufactured Quickly to Your Order in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Made to order promptly in any wood.

CROWN 605

Specifications:

Stiles and top rail, 4⅞"; mullion, 4⅞"; bottom rail, 9¾".
Panels, flat 3 ply veneered.
Cove and Bead solid sticking.

Manufactured Quickly to Your Order in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Made to order promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 606

Specifications:

Stiles and top rail, 4⅞"; top cross rail and mullions, 4⅞"; lock rail, 8⅝"; bottom rail, 9¾".
Panels, flat 3 ply veneered.
Cove and Bead solid sticking.

Manufactured Quickly to Your Order in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Made to order promptly in any wood.



CROWN 607

Specifications:

Stiles and top rail, 4⅞".
Cross rail and mullion, 4⅞".
Bottom rail, 9¾".
Panels, flat 3 ply veneered.
Cove and Bead solid sticking.

Manufactured Quickly to Your Order in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Made to order promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 608

Specifications:

Stiles and top rail, 7"; bottom rail, 19".
Core, soft white pine.
Veneer, ⅛"; also furnished in ¼" thickness.
Moulding: Heavy raised, as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 18x54.
2- 8x7- 0 1¾ glass size 18x58.
2-10x6-10 1¾ glass size 20x56.
3- 0x7- 0 1¾ glass size 22x58.
Made to order promptly in any wood.



CROWN 609

Specifications:

Stiles and top rail, 7"; bottom rail, 19".
Core, soft white pine.
Veneer, ⅛"; also furnished in ¼" thickness.
Moulding: Heavy raised, as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 18x54.
2- 8x7- 0 1¾ glass size 18x58.
2-10x6-10 1¾ glass size 20x56.
3- 0x7- 0 1¾ glass size 22x58.
Made to order promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 610

Specifications:

Stiles and top rail, 7".
Bottom rail, 19".
Core, soft white pine.
Veneer ⅛", also furnished ¼" thickness.
Moulding: Heavy raised, as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 18x54.
2- 8x7- 0 1¾ glass size 18x58.
2-10x6-10 1¾ glass size 20x56.
3- 0x7- 0 1¾ glass size 22x58.
Made to order promptly in any wood.



CROWN 611

Specifications:

Stiles and top rail, 7".
Bottom rail, 19".
Core, soft white pine.
Veneer ⅛", also furnished ¼" thickness
Moulding: Heavy raised, as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 18x54.
2- 8x7- 0 1¾ glass size 18x58.
2-10x6-10 1¾ glass size 20x56.
3- 0x7- 0 1¾ glass size 22x58.
Made to order promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 612

Specifications:

Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 2".
Veneer, ⅛"; also furnished in ¼" thickness.
Mouldings and bars as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 19x55 divided.
2- 8x7- 0 1¾ glass size 19x59 divided.
2-10x6-10 1¾ glass size 21x57 divided.
3- 0x7- 0 1¾ glass size 23x59 divided.
Made to order promptly in other woods and sizes.



CROWN 613

Specifications:

Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
Veneer, ⅛"; also furnished in ¼" thickness.
Mouldings and bars as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 19x55 divided.
2- 8x7- 0 1¾ glass size 19x59 divided.
2-10x6-10 1¾ glass size 21x57 divided.
3- 0x7- 0 1¾ glass size 23x59 divided.
Made to order promptly in other woods and sizes.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 614

Specifications:

Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½.
Veneer ⅛"; also furnished in ¼" thickness.
Mouldings and bars as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 19x55 divided.
2- 8x7- 0 1¾ glass size 19x59 divided.
2-10x6-10 1¾ glass size 21x57 divided.
3- 0x7- 0 1¾ glass size 23x59 divided.
Made to order promptly in other woods and sizes.



CROWN 615

Specifications:

Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
Veneer ⅛"; also furnished in ¼" thickness.
Mouldings and bars as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 19x55 divided.
2- 8x7- 0 1¾ glass size 19x59 divided.
2-10x6-10 1¾ glass size 21x57 divided.
3- 0x7- 0 1¾ glass size 23x59 divided.
Made to order promptly in other woods and sizes.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 616

Specifications:

Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
Veneer, ⅛"; also furnished in ¼" thickness.
Mouldings and bars as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 19x55 divided.
2- 8x7- 0 1¾ glass size 19x59 divided.
2-10x6-10 1¾ glass size 21x57 divided.
3- 0x7- 0 1¾ glass size 23x59 divided.
Made to order promptly in other woods and sizes.



CROWN 617

Specifications:

Stiles and top rail, 6½".
Bottom rail, 18½"; bars, 1½".
Veneer, ⅛"; also furnished in ¼" thickness.
Mouldings and bars as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 19x55 divided.
2- 8x7- 0 1¾ glass size 19x59 divided.
2-10x6-10 1¾ glass size 21x57 divided.
3- 0x7- 0 1¾ glass size 23x59 divided.
Made to order promptly in other woods and sizes.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 618

Specifications:

Stiles and top rail, 4⅞".
Bottom rail, 9¾; bars, 1½".
Cove and Bead solid sticking.
Veneer, ⅛" thick on soft W. P. Cores.

Sizes in Stock for Immediate Shipment in Veneered Unselected Birch and Veneered Plain Red Oak:

2- 6x6- 8 1⅜ and 1¾.
2- 6x7- 0 1⅜ and 1¾.
2- 8x6- 8 1⅜ and 1¾.
2- 8x7- 0 1⅜ and 1¾.
2-10x6-10 1⅜ and 1¾.
3- 0x7- 0 1⅜ and 1¾.
Made to order promptly in other woods and sizes.



CROWN 619

Specifications:

Stiles and top rail, 4⅞".
Bottom rail, 9¾"; bars, 1½".
Cove and Bead solid sticking.
Veneer, ⅛" thick on soft W. P. Cores.

Sizes in Stock for Immediate Shipment in Veneered Unselected Birch and Veneered Plain Red Oak:

2- 6x6- 8 1⅜ and 1¾.
2- 6x7- 0 1⅜ and 1¾.
2- 8x6- 8 1⅜ and 1¾.
2- 8x7- 0 1⅜ and 1¾.
2-10x6-10 1⅜ and 1¾.
3- 0x7- 0 1⅜ and 1¾.
Made to order promptly in other woods and sizes.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 620

Specifications:

Stiles and top rail, 4⅞".
Lock rail, 4⅞".
Bottom rail, 9¾".
Panels, flat 3 ply veneered.
Square mission sticking.
Glass size: 26x17 in 3-0x7-0 door.

Manufactured Quickly to Your Order in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Veneered Quartered Red Oak.
Made to order promptly in any wood.



CROWN 621

Specifications:

Stiles and top rail, 4⅞".
Lock rail and mullion, 4⅞".
Bottom rail, 9¾".
Panels, flat 3 ply veneered.
Square mission sticking.
Glass size: 26x17 in 3-0x7-0 door.

Manufactured Quickly to Your Order in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Veneered Quartered Red Oak.
Made to order promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 622

Specifications:

Stiles and top rail, 4⅞".
Lock rail and mullion, 4⅞".
Bottom rail, 9¾".
Panels, flat 3 ply veneered.
Square mission sticking.
Glass size: each light 5¾x17 in 3-0x7-0 door.
Can be made 3 light wide also.

Manufactured Quickly to Your Order in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Made to order promptly in any wood.

CROWN 623

Specifications:

Stiles and top rail, 4⅞".
Lock rail and mullion, 4⅞".
Bottom rail, 9¾".
Panels, flat 3 ply veneered.
Square mission sticking.
Glass size: each light 5¾x8 in 3-0x7-0 door.

Manufactured Quickly to Your Order in

Veneered Unselected Birch.
Veneered Plain Red Oak.
Made to order promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 624

Specifications:

Stiles and top rail, 7″; bottom rail, 19″.
Core, soft white pine.
Veneer, ⅛″; also furnished in ¼″ thickness.
Mouldings: Heavy raised, as illustrated on page 56.
Oval frame, solid wood.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 16x52.
2- 8x7- 0 1¾ glass size 16x56.
2-10x6-10 1¾ glass size 18x54.
3- 0x7- 0 1¾ glass size 20x56.
Made to order promptly in any wood.



CROWN 625

Specifications:

Stiles and top rail, 7″; bottom rail, 19″.
Core, soft white pine.
Veneer, ⅛″; also furnished in ¼″ thickness.
Mouldings: Heavy raised, as illustrated on page 56.
Oval frame, solid wood with wood carvings.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 16x52.
2- 8x7- 0 1¾ glass size 16x56.
2-10x6-10 1¾ glass size 18x54.
3- 0x7- 0 1¾ glass size 20x56.
Made to order promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 626

Specifications:

Stiles and top rail, 7″; bottom rail, 19″.
Core, soft white pine.
Veneer, ⅛″; also furnished in ¼″ thickness.
Mouldings: Heavy raised, as illustrated on page 56.
Oval frame, solid wood.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 16x52.
2- 8x7- 0 1¾ glass size 16x56.
2-10x6-10 1¾ glass size 18x54.
3- 0x7- 0 1¾ glass size 20x56.
Made to order promptly in any wood.



CROWN 627

Specifications:

Stiles and top rail, 7″; bottom rail, 19″.
Core, soft white pine.
Veneer, ⅛″; also furnished in ¼″ thickness.
Mouldings: Heavy raised, as illustrated on page 56.
Oval frame, solid wood.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 16x52.
2- 8x7- 0 1¾ glass size 16x56.
2-10x6-10 1¾ glass size 18x54.
3- 0x7- 0 1¾ glass size 20x56.
Made to order promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 628

Specifications:

Stiles and top rail, 6".
Lock rail, 8½"; bottom rail, 9¾".
Veneer, ⅛"; also furnished in ¼" thickness.
Mouldings: Heavy raised, as illustrated on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

2- 8x6- 8 1¾ glass size 20x44.
2-10x6-10 1¾ glass size 22x46.
3- 0x7- 0 1¾ glass size 24x48.
Can be furnished in plain mould in place of Egg and Dart if desired.
Made to order in any woods and sizes.



CROWN 629

Specifications:

Stiles and top rail, 4⅞"; lock rail, 8⅝"; bottom rail, 9¾".
Panel, flat 3 ply veneered.
Cove and bead sticking.
Glass beads one side.
Glass size: 27x44 in 3-0x7-0 door.
This design lines up with Crown No. 201.

In Stock in Standard Sizes in:

Veneered Unselected Birch.
Veneered Plain Red Oak.
Made to order promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 630



CROWN 631

Specifications:

Stiles, 3"; top rail, 7"; bottom rail, 19".

Veneer, 1/8"; also furnished in 1/4" thickness.

Mouldings to match doors on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

1-6x6-8 1¾ glass size; Square, 12x54 divided.

1-6x6-10 1¾ glass size; Square, 12x56 divided.

1-6x7-0 1¾ glass size; Square, 12x58 divided.

Made to order promptly in other woods and sizes.



CROWN 632



CROWN 633

Specifications:

Stiles, 3"; top rail, 7"; bottom rail, 19".

Veneer, 1/8"; also furnished in 1/4" thickness.

Mouldings to match doors on page 56.

Sizes in Stock for Immediate Shipment in Veneered Plain Red Oak and Solid White Pine:

1-6x6-8 1¾ glass size; Square, 12x54; Oval, 10x52.

1-6x6-10 1¾ glass size; Square, 12x56; Oval, 10x54.

1-6x7-0 1¾ glass size; Square, 12x58; Oval, 10x56.

Made to order promptly in other woods and sizes.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 634

Specifications:

Flush, veneered, well matched.
Core of kiln-dried soft wood, cross banded.

Furnished Promptly in Standard Sizes of

Veneered Unselected Birch.
Veneered Plain Red Oak.
In other woods on short notice.

CROWN 635

Specifications:

Flush, veneered, well matched.
Core of kiln-dried soft wood, cross banded.

Furnished Promptly in Standard Sizes of

Veneered Unselected Birch.
Veneered Plain Red Oak.
In other woods on short notice.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 636

Specifications:

Flush, veneered, well matched.
Core of kiln-dried soft wood, cross banded.
Glass size 24x22 in 3-0x7-0 door.

Furnished Promptly in Standard Sizes of

Veneered Unselected Birch.
Veneered Plain Red Oak.
In other woods on short notice.



CROWN 637

Specifications:

Flush, veneered, well matched.
Core of kiln-dried soft wood, cross banded.
Glass size 24x22 div. in 3-0x7-0 door.

Furnished Promptly in Standard Sizes of

Veneered Unselected Birch.
Veneered Plain Red Oak.
In other woods on short notice.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 638

Specifications:

Flush, veneered, well matched.

Core of kiln-dried soft wood, cross banded.

Glass size: each light 7x22 in 3-0x7-0 door.

Furnished Promptly in Standard Sizes of

Veneered Unselected Birch.

Veneered Plain Red Oak.

In other woods on short notice.

CROWN 639

Specifications:

Flush, veneered, well matched.

Core of kiln-dried soft wood, cross banded.

Glass size: each light 7x22 in 3-0x7-0 door.

Furnished Promptly in Standard Sizes of

Veneered Unselected Birch.

Veneered Plain Red Oak.

In other woods on short notice.

For Prices refer to our Price Supplement and Current Price Card.



CROWN 640

Specifications:

Flush, veneered, well matched.
Core of kiln-dried soft wood, cross banded.
Glass size: each light 6x14 in 3-0x7-0 door.

Furnished Promptly in Standard Sizes of

Veneered Unselected Birch.
Veneered Plain Red Oak.
In other woods on short notice.

CROWN 641

Specifications:

Flush, veneered, well matched.
Core of kiln-dried soft wood, cross banded.
Glass size to suit.

Furnished Promptly in Standard Sizes of

Veneered Unselected Birch.
Veneered Plain Red Oak.
In other woods on short notice.

For Prices refer to our Price Supplement and Current Price Card.



Illustration shows IXL door 507 (page 6) and side light IXL 554 (page 30) which combination is not only suitable for residences, but also for buildings of every description.

Illustration shows IXL door 516 (page 10) and side light IXL 559 (page 31). While both of these illustrations are in White Pine, being our regular stock, same can be furnished promptly in any wood, on short notice.

For Prices refer to our Price Supplement and Current Price Card.



Illustration shows IXL door 510 (page 7) and side light 558 (page 31) which, as well as design on previous page showing IXL door, is especially adapted for bungalows.



Illustration shows Crown veneered door 609 (page 38) and side light 632 (page 49), which is stock in both Veneered Plain Red Oak and Solid White Pine.
Can be furnished promptly in any other wood, on short notice.
This is an ideal entrance opening, suitable for residences, as well as for public buildings of every kind.

For Prices refer to our Price Supplement and Current Price Card.

DETAIL CONSTRUCTION OF MOULDINGS USED IN OUR CROWN DOOR DESIGNS



Mould Used on Crown 608 Door



Mould Used on Crown 609, 610, 611, 628-632



Mould Used on Crown 624-627



Mould and Division Bar Used on Crown 612-617

See Previous Pages for Illustrations of Doors

For Prices refer to our Price Supplement and Current Price Card.

IXL 700

IXL 702

IXL 704

IXL 701

IXL 703

IXL 705



IXL 706



IXL 708



IXL 707

IXL 709

Cupboard Doors are in Stock in Standard Sizes as Listed in Our Price Supplement.

For Prices refer to our Price Supplement and Current Price Card.

IXL 710

In stock in 1¾″ White Pine and Spruce.
Each door 4-0x8-0; one pair fills opening 8-0x8-0.
5½″ stiles, 9¾″ bottom rail, glass line 4-10 from bottom.

IXL 711

In stock in 1¾″ White Pine and Spruce.
Each door 2-8x8-0; 3 doors fill opening 8-0x8-0.
5½″ stiles, 9¾″ bottom rail, glass line 4-10 from bottom.

For Prices refer to our Price Supplement and Current Price Card.

SET-OF-THREE GARAGE DOOR HARDWARE



Cut shows set-of-three doors closed. The left hand door is hinged and is used as a pass door as well.
Garage Hardware **IXL 712** packed complete as shown.



Using this style of doors and hangers makes every foot of space available for work bench and tools.

The door slides around the corner smoothly—no waste space.

For Prices refer to our Price Supplement and Current Price Card.



IXL 713

Stock in No. 2 Quality (in the white) and in No. 4 Quality painted grey.

Stock Sizes:

2- 6½x6- 7 1⅛.
2- 8½x6- 9 1⅛.
2- 8½x7- 1 1⅛.
2-10½x6-11 1⅛.
3- 0½x7- 1 1⅛.
3- 0½x7- 7 1⅛.

Doors are furnished open with stops or glazed plain glass, as desired.

Storm doors and sash reduce the coal bills.



IXL 714

Stock in No. 2 Quality (in the white) and in No. 4 Quality painted grey.

Stock Sizes:

2- 6½x6- 7 1⅛.
2- 8½x6- 9 1⅛.
2- 8½x7- 1 1⅛.
2-10½x6-11 1⅛.
3- 0½x7- 1 1⅛.
3- 0½x7- 7 1⅛.

This door put together with 32 hardwood dowels will stand the severe weather to which a storm door is exposed. Try a few on your house.

For Prices refer to our Price Supplement and Current Price Card.



IXL 715

CYPRESS HOT-BED SASH

Stock sizes: 3-0x6-0 1⅜ 5 rows of 6″ glass.
3-0x6-0 1⅜ 4 rows of 7″ glass.



IXL 716



IXL 717
Two-Light Storm Sash
With Ventilator
IXL 718

STOCK STORM SASH

Sizes in stock are listed in our Price Supplement.

Made of 1⅛″ kiln dried lumber.



IXL 719
Four-Light Storm Sash



IXL 720
Cottage Storm Sash, three-light Transom to match window



IXL 721
Cottage Storm Sash, cut four equal lights

For Prices refer to our Price Supplement and Current Price Card.

SCREEN MATERIAL IN LONG LENGTHS



On designs shown above use our Moulding discounts.
Porch and window screens can be built on the job with these mouldings.

STOCK WINDOW SCREENS



Full-Size Window Screen
IXL 722



Half-Size Screen
IXL 723

Full-size window screens or half-screens are made up to order very promptly. Some standard sizes in stock. Can be furnished in the white or painted to your order.

We are able to supply screen frames, put up but not wired or moulded and will gladly quote on application.

For Prices refer to our Price Supplement and Current Price Card.

IXL 724

Our Common Screen Door.
Stiles, 1⅛x2⅞.
Bottom rail, 1⅛x5½.
White Pine, in the white.

Stock Sizes:

2- 6½x6- 7 1⅛ black wire cloth.
2- 8½x6- 9 1⅛ black wire cloth.
2-10½x6-11 1⅛ black wire cloth.
3- 0½x7- 1 1⅛ black wire cloth.

ALUMINA WIRE can be furnished at a small extra cost.

Crated 6 doors of a size to one crate.



IXL 725

The Highest Class Screen Door Made.
Matching our line of Crown and IXL Sash Doors.

Stock Sizes:

2-8½x6-9 1⅛ in White Pine and Plain Red Oak.
2-8½x7-1 1⅛ in White Pine and Plain Red Oak.
2-10½x6-11 1⅛ in White Pine and Plain Red Oak.
3-0½x7-1 1⅛ in White Pine and Plain Red Oak.

Furnished in the White with Black Wire, but Alumina or Copper Wire will be used if ordered special.

Crated 6 doors of a size to one crate.

For Prices refer to our Price Supplement and Current Price Card.



IXL 726

Our Combination Screen and Storm Door meets every requirement of a Door built to stand hard usage.



Door Stiles and Cross Rail are 1⅛x3¾"; Bottom Rail, 1⅛x9¾". Sash, 6 lights glazed.

Stock Sizes:

2-6½x6-7 1⅛ White Pine, Sash glazed, Screen black wire.
2-8½x6-9 1⅛ White Pine, Sash glazed, Screen black wire.
2-8½x7-1, 1⅛ White Pine, Sash glazed, Screen black wire.
2-10½x6-11 1⅛ White Pine, Sash glazed, Screen black wire.
3-0½x7-1 1⅛ White Pine, Sash glazed, Screen black wire.

Can be furnished painted or varnished if desired.

For Prices refer to our Price Supplement and Current Price Card.

SCREEN PORCH SUGGESTIONS



Porch Screens are made up to suit each individual job, therefore cannot be carried in stock. We have the machinery set up on screens at all times so that all orders are executed with very little delay. Send us your rough sketch and measurements and quotations will be furnished promptly. State the kind of wire wanted and whether you will want us to paint them for you.

We have in stock the necessary material including black, alumina and copper wire cloth, so state your preference.



For Prices refer to our Price Supplement and Current Price Card.



IXL 727

Specifications:

Top light plain D. S. glass set in metal bars. Bottom light glazed D. S. glass or plate glass, as wanted.

In stock: Check Rail Windows or Single Sash.

Stock Sizes:

Opening	Glass Size Bottom	Glass Size Top
3-8x5- 2	40x40	40x16
3-8x5- 6	40x44	40x16
3-8x5-10	40x48	40x16
4-0x5- 2	44x40	44x16
4-0x5- 6	44x44	44x16
4-0x5-10	44x46	44x18

Made both 1⅜" and 1¾" thick, White Pine. Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 728

Specifications:

Top light bevel plate glass set in metal bars. Bottom light glazed D. S. glass or plate glass, as wanted.

In stock: Check Rail Windows or Single Sash.

Stock Sizes:

Opening	Glass Size Bottom	Glass Size Top
3-8x5- 2	40x40	40x16
3-8x5- 6	40x44	40x16
3-8x5-10	40x48	40x16
4-0x5- 2	44x40	44x16
4-0x5- 6	44x44	44x16
4-0x5-10	44x46	44x18

Made both 1⅜" and 1¾" thick, White Pine. Other sizes made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.

FIGURED AND WIRE GLASS



IXL 729
Florentine



IXL 730
Syenite or Moss

IXL 731
Maze



IXL 732
Plain Ribbed



IXL 733
Rough Wire



IXL 734
Ribbed Wire

For Prices refer to our Price Supplement and Current Price Card.

LEADED CLEAR DOUBLE STRENGTH GLASS



IXL 735



IXL 736



IXL 737



IXL 738



IXL 739

These are suitable for casement sash or bookcase doors.

For Prices refer to our Price Supplement and Current Price Card.



IXL 740



Sectional View of Our Stock Staved-up Columns

IXL 741

In stock: No. 1 White Pine and No. 1 Fir.

Column IXL 740	Newel IXL 741
6"x 6"—6′ to 9′ long	6"x 6"—4′ long
8"x 8"—6′ to 9′ long	8"x 8"—4′ long
10"x10"—6′ to 9′ long	10"x10"—4′ long
12"x12"—6′ to 9′ long	

Our Columns are well made and have proven good sellers and bring repeat orders.

For Prices refer to our Price Supplement and Current Price Card.





Cross Section of Shaft showing Special Double Tongue and Groove Glued Joint and Heavy Re-inforcement set in at each end of Shaft.



IXL 742

8"x 8"—6', 8' and 9' long.
10"x10"—6', 8' and 9' long.
12"x12"—6', 8' and 9' long.

IXL 743

8"x 8"—3' long.
10"x10"—3' long.

Columns are made of Clear White Pine.
Tapered shafts and bases loose for fitting.
Can be made to order in any size wanted.

For Prices refer to our Price Supplement and Current Price Card.



IXL 744

No. 1 Fir in 1¾x3½—6′ to 20′ lengths.
Used as a top rail, this pattern has no superior.



IXL 745

No. 1 Fir in 1¾x3½—6′ to 20′ lengths.
Bottom rail design which can be used as a top rail if necessity demands.



IXL 746

No. 1 Fir in 1¾x3½—6′ to 20′ lengths.



Any special porch rail can be furnished on short notice. Use stock designs and save money.

IXL 747

No. 1 Fir 1¾x3½—6′ to 20′ lengths.

Bottom Rail to use with small or flat balusters.

For Prices refer to our Price Supplement and Current Price Card.

IXL 748

IXL 749

Balusters IXL 748—1¾x1¾ and 2¼x2¼ in 24″ length.

Balusters IXL 749—1⅛″, 1⅜″ and 1¾″ square in 24″ length.

IXL 750 IXL 751 IXL 752

In stock in No. 1 Fir.
Column IXL 750—4x4, 5x5 and 6x6 in 8′, 9′ and 10′ lengths.
Newels IXL 751 and 752—4x4, 5x5 and 6x6 in 4′ length.
This Porch material is smoothly turned and is the best on the market today.

IXL 753

IXL 754

Stock sizes are 10″x12″ and 12″x14″—1⅜″ thick, made of White Pine.
Crated 50 Brackets to a crate.

For Prices refer to our Price Supplement and Current Price Card.

HEAVY BRACKETS



IXL 755

Usual size 1-6x2-0 or 2-0x2-6 out of 3½" or 4½"



IXL 756

Sizes: 2-6x2-6 and 3-0x3-0



IXL 757

Sizes: 2-6x2-6 and 3-0x3-0

These brackets are made especially to order, of any size, usually of 3½x3½, 4½x4½ or 5½x5½.

For Prices refer to our Price Supplement and Current Price Card.

RAFTER ENDS

IXL 758
Size 1⅝x3⅝—3-0



IXL 759
Size 1⅝x3⅝—3-0



IXL 760
Size 1⅝x5½—4-0



IXL 761
Size 1⅝x5½—4-0



IXL 762
Size 1⅝x5½—4-0



IXL 763
Size 1⅝x5½—4-0

HEAVY BRACKET

IXL 764

Size 3-0 projection, 1-2 drop, 3½ thick.

These are made especially to order of any size.

For Prices refer to our Price Supplement and Current Price Card.

STOCK STAIR NEWELS

IXL 765



IXL 766



IXL 767

Specifications:

	IXL 765 IXL 767	IXL 766
Height over all	4′-0″	5′-6″
Shaft square	6″	5″
Base height	20″	
Base square	7¾″	

In Stock: Yellow Pine and Plain Red Oak.
Made to order promptly in other woods.

For Prices refer to our Price Supplement and Current Price Card.

STOCK STAIR NEWELS



IXL 768



IXL 769



IXL 770

Specifications:

	IXL 768 IXL 770	IXL 769
Height over all	3′-8″	5′-6″
Shaft at top	6″	5″
Shaft at bottom	7½″	5″

In Stock: Yellow Pine and Plain Red Oak.
Made to order promptly in other woods.

For Prices refer to our Price Supplement and Current Price Card.



IXL 771

In Stock: Yellow Pine and Plain Red Oak.
Size: 2¾"x3½", Rabbeted for 1⅛" or 1¾" Balusters.

IXL 772

Fillet IXL 772 $\frac{5}{16}$x1⅜
Fillet IXL 773 $\frac{5}{16}$x1¾

IXL 774

Convertible Fillet IXL 774 $\frac{7}{16}$x1¾
to be used for 1⅜ Balusters.



Filet **IXL 775** ⅝x1¾
Shoe **IXL 776** ¾x2½
Rail, Shoe and Fillet are in stock in Yellow Pine and Plain Red Oak.



IXL 777

Wall Rail, 1¾" diam.



IXL 778

IXL 779

Wall Plate, ¾" thick, 5" diameter.
Acorn End for 1¾" Rail.
In Stock: Yellow Pine and Plain Red Oak.
Made to order promptly in other woods.

For Prices refer to our Price Supplement and Current Price Card.



IXL 780

In Stock: Yellow Pine and Plain Red Oak.
Size: 2¾x3½, Rabbeted for 1⅛", 1⅜" or 1¾" Balusters.
Made to order promptly in other woods.



IXL 781

Rail Shoe ¾x2½, Rabbeted for 1¾" Balusters.



IXL 782 **IXL 783** **IXL 784** **IXL 785** **IXL 786**

In Stock: Yellow Pine and Plain Red Oak.
Sizes: Square and Turned, 1⅜x1⅜ and 1¾x1¾ in 28" and 32" lengths.
Sizes: IXL 331, 1⅛x3—28" and 32" long.
Wrapped in paper and bundled 25 of one size and kind.

For Prices refer to our Price Supplement and Current Price Card.

Treads 3'-5" long.
IXL 787, 1⅛x9½
IXL 788, 1⅛x11½

These are nosed one edge.
Machine smoothed.

Nosing 3'-5" long.
IXL 789, 1⅛x3½

Risers 3'-5" long.
IXL 790, ¾x7¾ S2S



Stair Stringers
IXL 791, ¾x11¼ S2S

We do not cut for steps, since every job varies. This stock is supplied perfectly square.



We can supply you with complete stairs, all machined ready to set up. Send your sketch for prices.

CIRCLE END TREADS AND RISERS



IXL 792



IXL 793

In ordering state whether right or left-hand turn is wanted.
In Stock: Yellow Pine and Plain Red Oak.
We crate this material to prevent damage in transit.
Furnished in other woods promptly.

For Prices refer to our Price Supplement and Current Price Card.



IXL 794



IXL 795

In these designs our stock Stair material, as illustrated on pages 76 to 80, will be readily recognized. Prompt shipment assured.

For Prices refer to our Price Supplement and Current Price Card.



$45-00

COLUMN IXL 796

PEDESTAL IXL 797

Specifications:

In Stock: Yellow Pine and Plain Red Oak.

Column IXL 796	**Pedestal IXL 797**
6x6—5-0 also 6-0	28″ high; 28″ wide.
7x7—5-0 also 6-0	10″ face; 13″ top.
8x8—5-0 also 6-0	Furnished without base.

Columns and Pedestals are interchangeable. Furnished in the White, hand-smoothed and properly crated. It is customary to use the same base around the pedestals as is used in finishing the room.

Made to order promptly in other woods.

For Prices refer to our Price Supplement and Current Price Card.



COLUMN IXL 798

PEDESTAL IXL 797

Specifications:

In Stock: Yellow Pine and Plain Red Oak.

Column IXL 798	**Pedestal IXL 797**
6½″ at top.	28″ high; 28″ wide.
7½″ at base.	10″ face; 13″ top.
4′-8″ high for 7′-0″ opening.	4″ lugs to adjust heights.
5′-8″ high for 8′-0″ opening.	Furnished without base.

Furnished in the white, hand-smoothed and properly crated to prevent damage in shipping.

Made to order promptly in other woods.

For Prices refer to our Price Supplement and Current Price Card.



$80.00

COLUMN IXL 799

PEDESTAL IXL 800

Specifications:

In Stock: Yellow Pine and Plain Red Oak.

Column IXL 799

6½″ at top.
7½″ at base.
3′-0″ high for 7′-0″ opening.
4′-0″ high for 8′-0″ opening.

Pedestal IXL 800

48″ high; 28″ wide.
11″ face; 14″ top.
3 adjustable shelves.
Doors glazed 16x34.
Leaded clear glass.
Furnished without base.

Unless otherwise stated, we ship 3′-0″ columns.

Made to order promptly in other woods.

For Prices refer to our Price Supplement and Current Price Card.



825-0

COLUMN IXL 799

PEDESTAL IXL 801

Specifications:

In Stock: Yellow Pine and Plain Red Oak.

Column IXL 799

6½″ at top.
7½″ at base.
3′-0″ high for 7′-0″ opening.
4′-0″ high for 8′-0″ opening.

Pedestal IXL 801

48″ high; 40″ wide.
11″ face; 14″ top.
3 vertical panel back.
3 adjustable shelves.
Doors glazed 12x34.
Leaded clear glass.

Furnished in the white, hand-smoothed and properly crated. We do not furnish base on pedestals unless specifically ordered and an extra charge will be made for same.

For Prices refer to our Price Supplement and Current Price Card.



COLUMN IXL 799

PEDESTAL IXL 802

Specifications:

In Stock: Yellow Pine and Plain Red Oak.

Column IXL 799

6½″ at top.
7½″ at base.
3′-0″ high for 7′-0″ opening.
4′-0″ high for 8′-0″ opening.

Pedestal IXL 802

48″ high; 28″ wide.
11″ face; 14″ top.
Writing desk above and panel door below.
No base furnished.
Hand-smoothed in the white.

Unless otherwise stated, we ship 3′-0″ columns.

State whether writing desk shall be in the right or left-hand pedestal when facing desk. Opposite pedestal usually furnished in IXL 800.

For Prices refer to our Price Supplement and Current Price Card.



PLATE RAIL

IXL 803

Projection 3", Drop 2½".
Size of Plate Shelf, ¾x3".
Size of Moulding, ¾x1¾".



PLATE RAIL

IXL 804

Projection, 3⅝".
Drop, 5".
Size of Plate Shelf, ¾x3⅝".
Size of Apron, ¾x4¼".
Size of Moulding, ¾x2".



PLATE RAIL

IXL 805

Projection, 3⅝".
Drop, 4¼".
Size of Plate Shelf, ¾x 3⅝".
Size of Apron, ¾x3½".
Size of Moulding, ¾x 1¼".
Size of Bracket, 1¾x 2⅜".
Brackets to be spaced 18" on center.

For Prices refer to our Price Supplement and Current Price Card.



IXL 806



IXL 807

Wood—Yellow Pine. Can be furnished in any Wood.



IXL 808

Wood—Quarter Sawed Oak. Can be furnished in any Wood. In design 806 the open part is either tinted plaster, burlap backing, or Wall Board, likewise tinted, making a handsome color combination possible.

For Prices refer to our Price Supplement and Current Price Card.

WALL PANELS AND PANEL MATERIAL

With this stock show windows can be decorated as well as Paneling Dining Rooms, etc. Furnished in Yellow Pine, Fir, Unselected Birch and Plain Red Oak.

IXL 809
Stiles and Top Rail, ¾x3½

IXL 810
Mullion, ¾x3¼



IXL 811
Cap, 1⅛x1⅜

IXL 812
Base, ¾x5½

Laminated 3 Ply $\frac{5}{16}$" thick Panels sanded on good face side only.



PANELS IXL 813

Stock Sizes in Yellow Pine, Fir, Unselected Birch and Plain Red Oak.

18x48	28x48	18x60	28x60	18x66	28x66
20x48	30x48	20x60	30x60	20x66	30x66
24x48	32x48	24x60	32x60	24x66	32x66
	36x48		36x60	36x66	

For Prices refer to our Price Supplement and Current Price Card.



IXL 814



IXL 815



IXL 816

These Seats are made to order as measurements must be exact. Send us your sketches.

For Prices refer to our Price Supplement and Current Price Card.

HARDWOOD FLOORING

End Matched, Polished and Kiln Dried



Illustration shows end-matched Flooring. We can furnish, in random lengths only of 2 to 16 feet, for immediate shipment, the following woods and sizes:

Clear Maple	13/16x2¼" face
Clear Plain Red and White Oak	⅜x1½" face
Clear Plain Red and White Oak	13/16x2¼" face
Clear Quart. Red and White Oak	⅜x1½" face
Clear Quart. Red and White Oak	13/16x2¼" face

We can also supply on short notice other sizes and grades, which we will price upon inquiry.

Approximate Weights:

⅜", 1,000 lbs. per 1,000 feet
13/16", 2,100 lbs. per 1,000 feet

To arrive at the amount of Flooring required, compute the square feet of surface in the room and add to same the following percentages:

⅜x1½" face, add 33⅓%
13/16x2¼" face, add 33⅓%

A Few Reasons Why Flooring is Superior to Carpet:

1st—It is more sanitary.

2nd—It is more healthful, handsome and economical.

3rd—It is kept clean with less labor and only requires dusting the same as furniture, the unpleasant task of sweeping being entirely eliminated.

4th—It is cheaper than carpets, and far more harmonious with the surrounding furniture.

5th—It will outwear more expensive carpets many times over and also retain its natural appearance for years with very little care.

Our flooring is perfectly matched, both sides and ends; bundled in such a manner as to protect face from dirt.

For Prices refer to our Price Supplement and Current Price Card.

CLOCK SHELF



IXL 817

Stock in 2′-6″ wide in soft wood.
Made to order promptly in other sizes and woods.





MANTEL SHELF

IXL 818

Made up in Plain Red Oak or any wood on short notice.
Usually made to fit your special chimney breast, but 6 foot is ordinary. 10″ shelf by 3″ face.
Plain brackets can be furnished, if desired.



MANTEL

IXL 819

Stock in soft wood, 5′ wide, but we are prepared to furnish promptly in any wood.

For Prices refer to our Price Supplement and Current Price Card.





IXL 820

Stock in Yellow Pine; packed in dust-proof box.
20"x26" opening in wall. 14"x18" plate mirror.
Movable Shelves. No Hardware.
Made to order in other woods.





IXL 821

Made to order in Yellow Pine or White Pine for enamel.
2 sizes can be supplied.
Wall opening, 20x25.
With mirror, 14x18.
Wall opening, 22x27.
With Mirror, 16x20.





IXL 822

Made to order in Yellow Pine or White Pine for enamel.
Open shelf below case.
2 sizes can be supplied.
Wall opening, 20x31.
With mirror, 14x18.
Wall opening, 22x33.
With mirror, 16x20.

For Prices refer to our Price Supplement and Current Price Card.



SIDE BOARD

IXL 823

Made up in Plain Red Oak.
Made to fit in recess opening 5'-3"x7'-3"x17".
Measurements outside over all:
Width, 5'-0"; height, 7'-1"; depth, 16".
Plain Plate Mirror, 54"x12"; plain glass in doors.
No hardware or trim furnished unless so specified. The illustration shows Sideboard flush top and bottom, but bottom section can be furnished extended 4" at a small extra charge.
Furnished in the white, hand-smoothed.



IXL 824



IXL 825

Made up in Yellow Pine; no hardware.
Outside dimension: 2'-8" high; 2'-8" wide; 1'-6" deep.
Made to set in recess; top can be furnished if so ordered.
Suitable as a chest of drawers in a bedroom closet.

For Prices refer to our Price Supplement and Current Price Card.



BUFFET. IXL 826

Made up in Plain Red Oak or any wood on your order.
Measurements outside overall:
Width, 5′-6″; height, 4′-6″; depth, 18″.
Height to top of counter, 38″.
Drawers are deep and roomy.
Furnished in the white, hand smoothed.

BUFFET. IXL 827

Made up in Plain Red Oak or any wood on your order.
Measurements outside overall:
Width, 5′-6″; height, 4′-9″; depth, 18″.
Height to top of counter, 36″.
Width of doors in cases, 1′-2½″.
Furnished in the white, hand smoothed.

For Prices refer to our Price Supplement and Current Price Card.



BREAKFAST NOOKS. IXL 828



BREAKFAST NOOKS. IXL 829

Neat and inexpensive designs in Yellow Pine or White Pine for enamel.

Measurements: Alcove, 6′-0″, Sash, 4′-0″ from floor. Table, 4′-6″ long, 2′-6″ wide, 2′-6″ high. Seat, 1′-4″ wide, 1′-6″ high, 4′-0″ long. Seat Panel back is 2′-6″ high over seat.

For Prices refer to our Price Supplement and Current Price Card.



IXL 830

KITCHEN CUPBOARD

Made up in White Pine and Yellow Pine.



IXL 831

Size: 4'-0"x7'-0" to match door height.

Fits in recess 13" deep; no hardware furnished.

Furnished K. D. or put up. Furnished with 3/8" back or without back. Specify what is wanted.

No Trim furnished, as usually room trim is put on when trimming doors.

IXL 831

CLOSET CUPBOARD

This cupboard is just what every home owner wants as it provides drawers and dust protected shelves in one end of a closet. The opening under the cupboard is a convenient shoe shelf with a spring hinged door.

Measurements to suit closet.

Usually made 3'-0" wide, 8'-0" high, bottom section 1'-6" deep, top 12" deep.

For Prices refer to our Price Supplement and Current Price Card.





CUPBOARD

IXL 832

In Stock: White Pine and Yellow Pine.
Size: 4'-0"x8'-6" ceiling height and 4'-0"x7'-0" to match door height.
Made to fit in recess; no hardware furnished.
Furnished K. D. or put up, and with ⅜" back or without back. Specify what is wanted.
Can be trimmed with room finish.



IXL 833

IXL 833 Flour Bin. 18" wide, 30" high, 9" bottom, 17" top, White Pine or Yellow Pine front. Can also be furnished with a panel front. Can be supplied K. D. if wanted.



DRAWER

IXL 834

In Stock: White Pine and Yellow Pine front.
Sizes:
17½" wide, 16" deep, 4¾" high.
21½" wide, 16" deep, 4¾" high.
36" wide, 16" deep, 6¾" high.
Made to order in all sizes, send your inquiries.

For Prices refer to our Price Supplement and Current Price Card.



IRONING BOARDS



IXL 835

Size inside 1′-7″ wide, 5′-0″ high.
Board 1′-2″ wide, 4′-4″ long, 1⅛″ thick.
Board is adjustable for height.
Wall opening 1′-9″ by 5′-1½″.

IXL 836

Size inside of case 1′-7″ wide.
Height to match 7′-0″ door.
Board adjustable, 1′-2″ wide, 4′-4″ long, 1⅛″ thick.
Wall opening 1′-9″ by 7′-0½″.



Sink Leg IXL 837 1¾x32—Fir.
Sink Capping IXL 838 ¾x3½.
Sink Facia IXL 839 ¾x5½ and 7½.
Sink Scotia IXL 840 ¾x⅞—Y. P.

Sink or Drain Board IXL 841 22x24 and 22x30.
Sink Drawer IXL 842 14x16x4.
Table Leg IXL 843 2⅝ and 3½x30.

For Prices refer to our Price Supplement and Current Price Card.



IXL 844

Rosette Corner Blocks.
Stock in White Pine.
1⅛x4¼x4¼.
1⅛x4½x4½.
1⅛x4¾x4¾.
Packed 100 to a bundle.



IXL 845

Stock in Yellow Pine and Plain Red Oak.
1⅛x4¼x11, 1⅛x4½x11, 1⅛x4¾x11.
Packed 25 to a bundle.

IXL 846

IXL 847

IXL 848

IXL 849

Corner Beads are in stock in Yellow Pine and Plain Red Oak.
1⅜x1⅜x4-0.
Packed 25 to a bundle.

Base Bead
In stock in Yellow Pine and Plain Red Oak.
1⅜x1⅜x14".
Packed 25 to a bundle.

For Prices refer to our Price Supplement and Current Price Card.



No. 8446

Sliding Door Astragals in stock in White Pine, Yellow Pine and Plain Red Oak.

For 1¾" thick doors.



No. 8449

Folding Door Astragals in stock in White Pine.

For 1¾" thick doors.

IXL 850



IXL 851

Both Inside and Outside Thresholds are in stock in Unselected Birch and Plain Red Oak.

Size: ⅝x3⅝—3'-0"; also in lengths 6'-0" to 12'-0".

Tied up 10 pieces to a bundle.

IXL 852

We carry only the best cotton white braided sash cord in hanks of 100 feet per hank.

IXL 853

In stock in all standard sizes for immediate shipment.

For Prices refer to our Price Supplement and Current Price Card.



TRIM

IXL 854

Specifications:

In Stock: Yellow Pine and Plain Red Oak.

Casing	¾x3⅝
Back Band	1⅛x1⅛
Base	¾x7¼
Base Shoe	½x ¾
Window Stool	1⅛x3¾
Window Apron	¾x3⅝
Apron Mould	¾x ⅞
Window Stops	½x1⅜
Door Stops	½x1⅝

Furnished in long lengths or cut to special lengths if desired. If specified, we can machine sand all flat surface moulding at a small extra cost.

Made to order promptly in other woods.

For Prices refer to our Price Supplement and Current Price Card.



TRIM

IXL 855

Specifications:

In Stock: Yellow Pine and Plain Red Oak.

Side Casing	¾x4¼
Head Casing	¾x4⅝
Cap Mould	1⅛x2¼
Fillet	7/16x1⅛
Base	¾x7¼
Base Shoe	½x ¾
Base Block	1⅛x4¼x11
Window Stool	1⅛x3¾
Window Apron	¾x3⅝
Apron Mould	¾x ⅞
Window Stops	½x1⅜
Door Stops	½x1⅝

Furnished in long lengths or, if desired, we will cut to specified lengths on house jobs.

Made to order promptly in other woods.

For Prices refer to our Price Supplement and Current Price Card.



TRIM

IXL 856

Specifications:

In Stock: Yellow Pine and Plain Red Oak.

Side Casing	3/4x4 1/4
Head Casing	3/4x4 5/8
Cap Mould	1 1/8x2
Mould under Cap	1/2x 1/2
Fillet	7/16x1 1/8
Base	3/4x7 1/4
Base Shoe	1/2x 3/4
Window Stool	1 1/8x3 3/4
Window Apron	3/4x3 5/8
Apron Mould	1/2x 1/2
Window Stops	1/2x1 3/8
Door Stops	1/2x1 5/8

This Mission Trim is very popular and can be used with good results in connection with Hardwood Doors Crown 603 and 604, shown on pages 35 and 36. If specified, we can machine sand flat surface mouldings at a small extra cost.

Made to order in other woods.

For Prices refer to our Price Supplement and Current Price Card.

DOOR JAMBS



IXL 857

7/8" Inside Door Jambs with stops.



IXL 859

1 1/8" or 1 3/8" Door Jambs rabbeted.



IXL 858

Door Jambs with transom bar.



SLIDING DOOR JAMBS IXL 860

IXL 860 in stock in Yellow Pine and Plain Red Oak.

Other designs made to order promptly.

For Prices refer to our Price Supplement and Current Price Card.

FRAMES



IXL 861

Plain Drip-Cap Window Frames
¾ or 1⅛″ O. S. Casing



IXL 862

Moulded Cap Window Frames
¾″ Pulley Stiles with Pockets and Pulleys



IXL 863

Plain Drip-Cap Outside Door Frame
Oak or Spruce Sill



IXL 864

Moulded Cap Outside Door Frame
1⅜″ Jambs, rabbeted for door

Frames made to order in any shape or size. Send your lists to us for figures. Standard sizes are in stock.

For Prices refer to our Price Supplement and Current Price Card.

FRAMES



IXL 865

Stucco Window Frame

Shipped put up or K. D.



IXL 866

Stucco Door Frame

1⅜″ Rabbeted Jambs



IXL 867

Stock Cellar Sash Frame
for Cement Block or Solid Walls

For Prices refer to our Price Supplement and Current Price Card.

FRAMES



IXL 868

Window Frames for Brick Buildings made to order to suit your job



IXL 869

Door Frames for Brick Buildings.
Send us your lists for estimate

For Prices refer to our Price Supplement and Current Price Card.



IXL 870



IXL 871

Casement Sash Frame, showing sash to swing in.
State what kind of outside trim is wanted.



IXL 872

Casement Sash Frame, showing sash to swing out. Furnished for stucco or brick buildings as well. Mention which is wanted.

For Prices refer to our Price Supplement and Current Price Card.

SASH RAILS AND MUNTINS

Stock Sizes 1⅜" Thick

ALL WHITE PINE



IXL 873 SIDE AND TOP RAIL

Western Size, 1⅜x2¼" overall; 2" to glass line.

IXL 874 SIDE AND TOP RAIL

Ohio Size, 1⅜x2½" overall; 2¼" to glass line.



BOTTOM CHECK

IXL 875, 1¼x1¾"

TOP CHECK

IXL 876, 1¼x1¾"



IXL 877 BOTTOM RAIL

Western Size, 1⅜x3¼" overall; 3" to glass line.

IXL 878 BOTTOM RAIL

Ohio Size, 1⅜x3½" overall; 3¼" to glass line.



MUNTIN

IXL 879, 1⅜x1⅛",
¾" between glass.



MUNTIN

IXL 880, 1⅜x¾",
⅜" between glass.



MUNTIN

IXL 881, 1⅜x$\frac{9}{16}$", $\frac{3}{16}$" between glass.

For Prices refer to our Price Supplement and Current Price Card.

SASH RAILS AND MUNTINS

Stock Sizes 1¾" Thick

ALL WHITE PINE



IXL 882 SIDE AND TOP RAIL

Western Size, 1¾x2¼" overall; 2" to glass line.

IXL 883 SIDE AND TOP RAIL

Ohio Size, 1¾x2½" overall; 2¼" to glass line.



BOTTOM CHECK
1XL 884, 1¼x2¼"

TOP CHECK
IXL 885, 1¼x2¼"



IXL 886 BOTTOM RAIL

Western Size, 1¾x3¼" overall; 3" to glass line.

IXL 887 BOTTOM RAIL

Ohio Size, 1¾x3½" overall; 3¼" to glass line.



MUNTIN
IXL 888, 1¾x¾",
¼" between glass.



MUNTIN
IXL 889, 1¾x1",
½" between glass.

For Prices refer to our Price Supplement and Current Price Card.

CROWN MOULDINGS





Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

CROWN MOULDINGS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

CROWN AND BED MOULDINGS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

SPRUNG COVE, BED AND BRICK MOULDINGS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

COVES, QUARTER AND HALF ROUNDS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

WINDOW AND DOOR STOPS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

WINDOW AND DOOR STOPS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

STOPS, NOSINGS AND SCREEN MOULDINGS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

PANEL, BAND AND CORNICE MOULDINGS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

HOOK STRIPS, CORNER BEAD, SHELF CLEAT, CHAIR RAILS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

WAINSCOT CAPS, PICTURE MOULDINGS, APRONS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

PANEL STRIPS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

WINDOW STOOLS















Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

THRESHOLDS, PARTITION CAP AND SHOE



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

LATTICE, DRIP CAPS AND WATER TABLE















Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

CASINGS

















Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

CASINGS AND BACK BANDS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

CASINGS AND BACK BANDS











Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

P G BASE AND O G CASING AND BASE



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

THREE-MEMBER BASE



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

BASE



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

CAP TRIM











Prices quoted are for 100 Lineal Feet.

For Stock Lists see our Price Supplement.

For Discounts see our current Price Card.

CAP TRIM AND SQUARE MEMBERS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

ASTRAGALS AND SLIDING DOOR BANDING



SECTION OF BOX WINDOW FRAME FOR BRICK BUILDING



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

BLACKBOARD MOULDINGS, BALUSTER STOCK, STOPS AND BRICK MOULDINGS



Prices quoted are for 100 Lineal Feet.
For Stock Lists see our Price Supplement.
For Discounts see our current Price Card.

MOULDING INDEX

No.	Size		List	Page
8000	¾x3¼	Crown Mldg.	$ 3.50	112
8002	¾x3⅝	Crown Mldg.	4.00	112
8003	¾x2¾	Crown Mldg.	3.00	112
8004	¾x5¼	Crown Mldg.	6.00	112
8005	¾x4⅝	Crown Mldg.	5.50	112
8006	¾x4¼	Crown Mldg.	4.75	112
8007	¾x1¾	Crown Mldg.	2.00	113
8008	¾x2¼	Crown Mldg.	2.50	113
8009	¾x3⅝	Crown Mldg.	4.00	113
8010	¾x2¾	Crown Mldg.	3.00	113
8011	¾x2¼	Crown Mldg.	2.50	113
8012	¾x4¼	Crown Mldg.	4.75	113
8013	¾x4⅝	Crown Mldg.	5.50	113
8014	¾x3¼	Crown Mldg.	3.50	113
8015	¾x1	Bed Mldg.	1.25	114
8016	¾x1¾	Bed Mldg.	2.00	114
8017	¾x1½	Bed Mldg.	1.75	114
8018	¾x2¼	Crown Mldg.	2.50	114
8019	¾x2¾	Crown Mldg.	3.00	114
8020	¾x3¼	Crown Mldg.	3.50	114
8021	¾x4¼	Crown Mldg.	4.75	114
8023	¾x3⅝	Crown Mldg.	4.00	114
8024	¾x1¾	Sprung Cove	2.00	115
8025	¾x2¼	Sprung Cove	2.50	115
8026	¾x2¾	Sprung Cove	3.00	115
8027	¾x1¾	Shoe	2.00	115
8029	¾x3¼	Sprung Cove	3.50	115
8030	¾x2¼	Bed Mldg.	2.50	115
8031	¾x1¾	Bed Mldg.	2.00	115
8032	¾x2	Bed Mldg.	2.25	115
8033	¾x2¾	Bed Mldg.	3.00	115
8035	¾x ⅞	Band Mould	1.00	115
8036	¾x1¼	Band Mould	1.50	115
8037	1⅛x1⅜	Band Mould	2.90	115
8038	1⅛x1¾	Band Mould	3.30	115
8042	⅝x ¾	Band Mould	1.00	115
8046	1⅛x1⅝	Band Mould	3.30	115
8048	1¾x2	Brick Mldg.	6.20	115
8051	1 x1	Return Band	2.25	116
8059	½x ⅞	Cove	1.00	116
8060	¾x ⅞	Cove	1.00	116
8061	¾x1⅛	Cove	1.25	116
8063	½x ½	Quarter Round	1.00	116
8064	⅝x ⅝	Quarter Round	1.00	116
8065	¾x ¾	Quarter Round	1.00	116
8067	¾x1⅜	Quarter Round	1.75	116
8075	¼x 7/16	Half Round	1.00	116
8076	5/16x ⅝	Half Round	1.00	116
8077	⅜x 11/16	Half Round	1.00	116
8078	½x1	Half Round	1.25	116
8079	⅝x1¼	Half Round	1.50	116
8080	¾x1⅝	Half Round	2.00	116
8082	⅜x ⅞	Stop	1.00	117
8083	⅜x1⅛	Stop	1.00	117
8084	⅜x1⅜	Stop	1.10	117

MOULDING INDEX—Continued

No.	Size		List	Page
8085	3/8x1 5/8	Stop	$ 1.40	117
8086	3/8x1 7/8	Stop	1.60	117
8089	1/2x1 1/8	Stop	1.25	117
8090	1/2x1 5/8	Stop	2.00	117
8091	1/2x1 7/8	Stop	2.25	117
8093	1/2x2 1/4	Stop	2.50	118
8094	1/2x1 7/8	Stop	2.25	118
8095	1/2x1 5/8	Stop	2.00	118
8096	1/2x1 3/8	Stop	1.50	118
8097	1/2x1 1/8	Stop	1.25	118
8098	1/2x1 3/8	Stop	1.50	117
8115	1/2x1 5/8	Stop	2.00	117
8116	1/2x1 3/8	Stop	1.50	117
8117	1/2x1 1/8	Stop	1.25	117
8118	1/2x1 1/8	Stop	1.25	118
8119	1/2x1 3/8	Stop	1.50	118
8120	1/2x1 5/8	Stop	2.00	118
8123	3/4x1 1/2	Nosing	1.75	119
8124	1 1/8x2	Nosing	3.75	119
8125	1 3/8x2 1/4	Nosing	5.00	119
8126	1 x1 3/16	Nosing	2.10	119
8127	9/16x 11/16	Stop	1.00	119
8128	1/2x 5/8	Stop	1.00	119
8129	3/8x 1/2	Stop	1.00	119
8130	3/8x 1/2	Stop	1.00	119
8131	3/4x1 1/4	Nosing	1.50	119
8132	9/16x 7/8	Nosing	1.00	119
8139	7/16x 5/8	Screen Mldg.	.80	119
8140	3/8x 3/4	Screen Mldg.	.80	119
8141	9/16x1 1/8	Screen Mldg.	1.25	119
8142	11/16x1 3/8	Screen Mldg.	1.75	119
8145	3/8x 5/8	Screen Mldg.	.80	119
8146	7/16x 3/4	Screen Mldg.	1.00	119
8148	3/4x1 3/4	Screen Mldg.	2.00	119
8149	3/4x1 3/4	Screen Mldg.	2.00	119
8151	5/8x 13/16	Screen Mldg.	1.00	119
8152	3/4x3 1/2	Apron	3.75	122
8153	3/4x3 1/2	Apron	3.75	122
8155	3/8x2 1/4	Hook Strip	2.50	121
8161	5/8x1	Panel Mldg.	1.25	120
8167	5/8x1 1/4	Band Mldg.	1.50	120
8174	3/4x1 5/8	Band Mldg.	2.00	120
8177	3/4x2	Band Mldg.	2.25	120
8178	9/16x2	Band Mldg.	2.25	120
8180	3/4x2 1/2	Band Mldg.	2.75	120
8221	3/4x2 1/8	Wainscot Cap	2.75	120
8238	1 3/8x1 3/8	Corner Bead	3.75	121
8242	3/4x1 7/8	Shelf Cleat	2.50	121
8256	1 1/8x1 5/8	Wainscot Cap	3.55	122
8258	3/4x2 3/4	Wainscot Cap	3.25	122
8263	3/4x1 3/4	Picture Mldg.	2.00	122
8264	3/4x1 3/4	Picture Mldg.	2.00	122
8265	3/4x1 3/4	Picture Mldg.	2.00	122
8266	3/4x3	Window Stool	3.25	124
8267	1 1/8x3 3/4	Window Stool	6.60	124
8269	1 1/8x4 1/4	Window Stool	7.85	124
8269 1/2	1 1/8x3 1/4	Window Stool	5.80	124
8270	1 1/8x9	Window Stool	16.50	124
8271	3/4x1 3/4	Partition Cap	2.00	125
8272 1/2	5/8x3 1/2	Chair Rail	3.75	121
8273	3/4x2 1/4	Partition Shoe	2.50	125

MOULDING INDEX—Continued

No.	Size		List	Page
8275	¾x2	Shelf Cleat	$ 2.25	121
8276	¾x5¼	Shelf Cleat	6.00	121
8278	⅝x3⅝	Threshold	4.00	125
8280	5/16x1⅛	Lattice	.85	126
8281	5/16x1⅜	Lattice	1.00	126
8282	5/16x1¾	Lattice	1.40	126
8283	1⅛x1⅝	Drip Cap	3.30	126
8284	1⅛x2	Drip Cap	3.75	126
8285	1⅛x2½	Drip Cap	4.55	126
8286	1⅛x3	Drip Cap	5.40	126
8287	1⅛x3½	Drip Cap	6.20	126
8289	¾x4¼	Casing	5.00	127
8290	¾x4¾	Casing	6.00	127
8308	¾x3⅝	Casing	4.20	127
8309	¾x4¼	Casing	5.00	127
8310	¾x4¾	Casing	6.00	127
8311	¾x5¼	Casing	6.00	127
8312	¾x4¼	Casing	5.00	127
8313	¾x4¾	Casing	6.00	127
8341	¾x4¼	Casing	5.00	128
8342	¾x4¾	Casing	6.00	128
8358	¾x3⅝	Casing	4.20	128
8359	¾x4¼	Casing	5.00	128
8368	1⅛x1 5/16	Back Band	3.15	129
8374	1⅛x1⅛	Back Band	2.35	128
8378	1⅛x1⅛	Back Band	2.35	129
8384	¾x4¼	Casing	5.00	130
8385	¾x5¼	Base	6.00	130
8386	¾x7¼	Base	8.00	130
8387	1⅛x1 5/16	Back Band	3.15	129
8388	¾x7¼	Base	8.00	131
8389	1⅛x1¾	Cap Mould	3.55	133
8393	1⅜x2½	Cap Mould	5.50	133
8394	¾x4⅝	Head Casing	5.50	133
8395	7/16x1⅛	Fillet	1.10	133
8396	1⅛x2¼	Cap Mldg.	4.15	133
8397	¾x5	Head Casg.	6.00	134
8398	⅜x1⅛	Fillet	1.10	133
8399	1⅜x2½	Cap Mldg.	5.50	133
8400	1⅛x5	Head Casg.	9.10	133
8401	1⅜x2⅜	Cap Mldg.	5.50	133
8403	7/16x1¼	Fillet	1.20	133
8404	⅜x ⅜	Turned Bead	3.35	133
8410	1⅜x2⅝	Cap Mldg.	5.00	134
8413	⅝x ¾	Embossed	4.25	134
8414	¾x2¾	Base Mldg.	3.25	131
8415	¾x7¼	Base	8.00	131
8420	¾x2¼	Base Mldg.	2.75	131
8421	¾x7¼	Base	8.00	131
8422	½x ¾	Base Shoe	1.00	132
8424	¾x7¼	Base	8.00	132
8426	¾x7¼	Base	8.00	132
8427	⅝x ¾	Base Shoe	1.00	131
8430	1⅛x2	Blind Stop	1.50	136
8432	½x ¾	Parting Stop	1.00	135
8441	1⅛x2	Brick Mould	3.75	135
8443	¾x4⅛	Pulley Stile	4.75	135
8444	¾x4⅛	Back Lining	4.75	135
8446	¾x2⅜	Astragal	6.50	135
8449	1⅝x2⅝	Astragal	....	135

MOULDING INDEX—Continued

No.	Size		List	Page
8520	¾x2	Bed Mldg.	$ 2.25	114
8530	⅝x ⅝	Cove	1.00	116
8531	¾x1	Cove	1.25	116
8532	¾x2	Cove	2.25	116
8535	⅝x ⅞	Panel Mould	1.00	116
8540	½x1⅛	Stop	1.25	118
8541	½x1⅜	Stop	1.50	118
8542	½x1⅝	Stop	2.00	118
8543	½x1⅞	Stop	2.25	118
8544	½x2¼	Stop	2.50	118
8560	¼x ½	Stop	1.00	119
8561	¼x ⅜	Stop	1.00	119
8562	⅜x ½	Stop	1.00	119
8563	⅜x 7/16	Stop	1.00	119
8564	7/16 x 9/16	Stop	1.00	119
8570	½x 9/16	Stop	1.00	119
8571	⅝x ⅝	Stop	1.00	119
8600	¾x1¾	Nosing	2.00	119
8610	¼x ¾	Screen Mldg.	.80	119
8611	¼x ¾	Screen Mldg.	.80	119
8613	¾x1¾	Screen Mldg.	2.00	119
8614	¾x1¾	Screen Mldg.	2.00	119
8615	¾x2¾	Screen Mldg.	3.00	119
8619	¾x ½	Panel Mldg.	1.00	120
8620	¾x ⅞	Panel Mldg.	1.00	120
8621	¾x1⅜	Cornice Mldg.	1.75	120
8623	¾x3¼	Cornice Mldg.	3.50	120
8624	¾x2¼	Cornice Mldg.	2.50	120
8626	¾x3	Hook Strip	3.25	121
8627	⅝x2½	Hook Strip	2.75	121
8628	⅜x2¼	Hook Strip	1.75	121
8629	⅜x2¼	Hook Strip	1.75	121
8635	⅝x2½	Chair Rail	2.75	121
8636	⅝x3½	Chair Rail	4.00	121
8638	1⅛x5¾	Window Stool	10.75	124
8640	⅝x3⅝	Chair Rail	4.20	121
8641	¾x3⅝	Apron	4.20	122
8642	¾x3⅝	Apron	4.20	122
8643	¾x3⅝	Apron	4.20	122
8655	9/16x1¾	Panel Strip	1.40	123
8656	⅜x2¼	Panel Strip	1.75	123
8657	⅝x2¼	Panel Strip	2.50	123
8658	⅝x2¾	Panel Strip	3.00	123
8659	⅝x3½	Panel Strip	3.75	123
8660	¾x2¾	Panel Strip	3.00	123
8665	¾x3½	Panel Strip	3.75	123
8667	⅝x2¼	Panel Strip	2.50	123
8669	¾x3¼	Window Stool	3.50	124
8695	1⅜x3¼	Partition Cap	7.00	125
8696	1⅝x2½	Partition Shoe	7.60	125
8700	⅝x3⅝	Threshold	4.00	125
8705	¾x4¼	Casing	5.00	128
8706	¾x4¼	Casing	5.00	128
8707	¾x4¾	Casing	6.00	128
8711	¾x3⅝	Casing	4.20	129
8712	¾x3⅝	Casing	4.20	129
8713	1⅛x1⅛	Back Band	2.35	129
8716	¾x5½	Base	6.50	130
8717	¾x3½	Casing	4.20	130
8721	1⅜x2	Cap Mldg.	4.50	134
8722	1⅛x5	Head Casg.	9.10	134

MOULDING INDEX—Continued

No.	Size		List	Page
8740	¾x1¾	Base Mldg.	$ 2.25	131
8741	¾x5½	Base	6.50	131
8790	¾x7¼	Base	8.00	132
8828	¾x7¼	Base	8.00	132
8828½	¾x7½	Base	8.00	132
8850	¾x2⅜	Sub Sill	2.75	136
8851	1⅜x2⅛	Sill Course	6.90	136
8865	¾x4⅛	Back Lining	4.75	135
8875	1⅝x2½	Astragal	8.10	135
8889	½x1½	Stop	1.75	136
8890	5/16 x2¼	Friction Band	1.75	135
8891	3/16 x1⅛	Friction Band	1.00	135
8900	1 1/16 x1⅛	Baluster	2.10	136
8901	1⅜x1⅜	Baluster	3.50	136
8902	1⅝x1⅝	Baluster	5.50	136
8903	1⅝x1⅝	Baluster	5.50	136
8904	¾x1¾	Baluster	2.00	136
8905	1⅜x1⅜	Baluster	....	136
8906	13/16 x9¼	.....	10.00	136
8920	1 x1½	Blackboard Cap	2.90	136
8921	1½x2⅝	Chalk Trough	5.00	136
8922	¾x2½	Blackboard Apron	2.75	136

INDEX

Pages

Art Glass Cottage Windows.66–67
Astragals 101

Balusters, Porch 73
Balusters, Stair 79
Baluster Stock 136
Base Beads 100
Base Blocks 100
Blocks, Base 100
Blocks, Corner 100
Bookcase, Colonnades 84–85
Brackets, Heavy 74–75
Brackets, Porch 73
Breakfast Nooks 96
Buffets 95

Cabinet, Medicine 93
Casement Frames 109
Casement Sash 109
Cases, Drawer 94
Cases, Medicine 93
Cellar Sash Frames..... 107
China Closet 94
Clock Shelf 92
Closet, Cupboard 97
Colonnades 82–86
Columns, Interior 82–86
Columns, Porch 71
Combination Screen Door.... 64
Corner Beads 100
Crown Hardwood Doors..34 to 53
Cupboards, Kitchen 97–98
Cupboard Doors 57

Doors:
Astragals 101
Combination Screen and Storm 64
Crown Hardwood .....34 to 53
Cupboard 57
Flush .....50 to 53
Frames .....106 to 108
French 11–33–43
Front or Glass.....
.....6 to 33, 38 to 48, 51 to 53
Garage 58
Garage Hardware 59
Hardwood .....34 to 53

Pages

Inlay 50
IXL Designs .....3 to 29
Jambs 105
Mirror 32
Mouldings 56
Sanitary .....50 to 53
Screen 63–64
Side Lights 30–31–49
Slab .....50 to 53
Store 28
Storm 60
Trim .....102 to 104
Veneered .....34 to 53

Drawers 98
Drawer Cases 94

Entrances, Front 54-55

Flour Bin 98
Figured and Wire Glass..... 68
Finish, Door & Window 102 to 104
Flooring, Hardwood 91
Frames:
Casement 109
Cellar Sash 107
Door .....106 to 108
Inside Door 105
Window .....106 to 108
French Doors 11–33–43
Front Doors:
Crown Designs .....38 to 53
IXL Designs .....6 to 29
Front Entrances 54–55

Garage Doors 58
Garage Door Hardware..... 59
Glass, Figured and Wire..... 68
Glass, Leaded 69

Hall Seats 90
Hardwood Doors .....34 to 53
Hardwood Flooring 91
Hotbed Sash 61

IXL Doors .....3 to 29
Inlay Door 50
Interior Finish .....102 to 104
Inside Door Jambs..... 105
Ironing Boards 99

INDEX—Continued

Pages

Jambs, Door 105

Kitchen Cupboards 97–98
Kitchen Trimmings 99

Legs, Sink and Table..... 99
Long Length Sash Stock..110–111

Mantel:
  Fireplace 92
  Shelves 92
Medicine Cabinet 93
Mirror Door 32
Mouldings (Universal List)..
  ..... 112 to 136

Newels, Porch 71–73
Newels, Stair 76–77
Nooks, Breakfast 96

Paneling 88
Panel Material 89
Pedestals .....82 to 86
Plate Rail 87
Porch Work .....71 to 73

Rafter Ends 75
Rail:
  Porch 72
  Stair 78–79
  Plate 87

Sash:
  Casement Frames 109
  Cellar Frames 107
  Cottage Art Glass.....66–67
  Hotbed 61
  Sash Stock, long length 110–111
  Screens 62
  Storm 61
Sash Cord 101

Pages

Sash Weights 101
Screens, Window, Door and
  Porch 62–63–65
Seats, Window 90
Seats, Hall 90
Shelves:
  Clock 92
  Mantel 92
Side Board 94
Side Lights 30-31-49
Stairwork:
  Acorn Rail End..... 78
  Balusters 79
  Designs 81
  Newels 76–77
  Nosing 80
  Rail 78–79
  Risers 80
  Round End Step and Riser.. 80
  Shoe 79
  Stringers 80
  Treads 80
  Wall Plates 78
Store Doors 28
Storm Doors 60

Thresholds 101
Trim for Doors and Windows
  .....102 to 104

Veneered Doors .....34 to 53

Windows:
  Cottage Art Glass.....66-67
  Frames .....106 to 108
  Material, long length....110-111
  Screens 62
  Seats 90
  Trim .....102 to 104
Writing Desk Pedestal..... 86

MILLWORK

AND

CROWN DOORS